



US Patent &amp; Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Free, Limited Service\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

Application protocol request + context switch + TCP \_ IP + HTTP



## THE ACM DIGITAL LIBRARY

Full text of every article ever published by ACM.

### • [Using the ACM Digital Library](#)

- [Frequently Asked Questions \(FAQ's\)](#)

### Recently loaded issues and proceedings:

(available in the DL within the past 2 weeks)

IEEE/ACM Transactions on Networking (TON)  
[Volume 12 Issue 6](#)

Queue  
[Volume 3 Issue 1](#)

ACM SIGAPL APL Quote Quad  
[Volume 34 Issue 1](#)

ACM SIGAda Ada Letters  
[Volume XXIV Issue 4](#)

ACM SIGKDD Explorations Newsletter

### Feedback

- [Report a problem](#)
- [Take our Satisfaction survey](#)



### • [Advanced Search](#)

### • [Browse the Digital Library:](#)

- [Journals](#)
- [Magazines](#)
- [Transactions](#)
- [Proceedings](#)
- [Newsletters](#)
- [Publications by Affiliated Organizations](#)
- [Special Interest Groups \(SIGs\)](#)

### Personalized Services: [Login required](#)

#### [My Binders](#)

Save search results and queries. Share binders with colleagues and build bibliographies.

#### [TOC Service](#)

Receive the table of contents via email as new issues or proceedings become available.



### [CrossRef Search](#)

Pilot program to create full-text interpublisher searchability.

## Computing Reviews

Access [critical reviews](#) of computing literature.

## THE GUIDE TO COMPUTING LITERATURE

**Bibliographic collection** from major publishers in computing.  
[Go to The Guide](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



US Patent &amp; Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

[Application protocol request context switch TCP \\_ IP HTTP](#)

Found 20,129 of 150,885

 Sort results  
by

[Save results to a Binder](#)Try an [Advanced Search](#)Try this search in [The ACM Guide](#)
 Display  
results

[Search Tips](#)
☐ Open results in a new  
window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Client-server computing in mobile environments](#)

Jin Jing, Abdelsalam Sumi Helal, Ahmed Elmagarmid

June 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 2Full text available: [pdf\(233.31 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Recent advances in wireless data networking and portable information appliances have engendered a new paradigm of computing, called mobile computing, in which users carrying portable devices have access to data and information services regardless of their physical location or movement behavior. In the meantime, research addressing information access in mobile environments has proliferated. In this survey, we provide a concrete framework and categorization of the various way ...

**Keywords:** application adaptation, cache invalidation, caching, client/server, data dissemination, disconnected operation, mobile applications, mobile client/server, mobile computing, mobile data, mobility awareness, survey, system application

**2** [Better operating system features for faster network servers](#)

Gaurav Bangs, Peter Druschel, Jeffrey C. Mogul

December 1998 **ACM SIGMETRICS Performance Evaluation Review**, Volume 26 Issue 3Full text available: [pdf\(911.11 KB\)](#)Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Widely-used operating systems provide inadequate support for large-scale Internet server applications. Their algorithms and interfaces fail to efficiently support either event-driven or multi-threaded servers. They provide poor control over the scheduling and management of machine resources, making it difficult to provide robust and controlled service. We propose new UNIX interfaces to improve scalability, and to provide fine-grained scheduling and resource management.

**3** [Fast and flexible application-level networking on exokernel systems](#)

Gregory R. Ganger, Dawson R. Engler, M. Frans Kaashoek, Héctor M. Briceño, Russell Hunt, Thomas Pinckney

February 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 1Full text available: [pdf\(500.67 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Application-level networking is a promising software organization for improving performance and functionality for important network services. The Xok/ExOS exokernel system includes application-level support for standard network services, while at the same time allowing application writers to specialize networking services. This paper describes how Xok/ExOS's kernel mechanisms and library operating system organization achieve this flexibility, and retrospectively shares our experiences an ...

**Keywords:** Extensible systems, OS structure, fast servers, network services

4 Efficient user-space protocol implementations with QoS guarantees using real-time upcalls

R. Gopalakrishnan, Gurudatta M. Parulkar

August 1998 **IEEE/ACM Transactions on Networking (TON)**, Volume 6 Issue 4


Full text available:  [pdf\(205.42 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** multimedia communication, networks, operating system kernels, processor scheduling, protocols, real-time systems, transport protocols

5 Column: A case for context-aware TCP/IP

Carey Williamson, Qian Wu

March 2002 **ACM SIGMETRICS Performance Evaluation Review**, Volume 29 Issue 4

Full text available:  [pdf\(1.55 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper discusses the design and evaluation of CATNIP, a Context-Aware Transport/Network Internet Protocol for the Web. This integrated protocol uses application-layer knowledge (i.e., Web document size) to provide explicit context information to the TCP and IP protocols. While this approach violates the traditional layered Internet protocol architecture, it enables informed decision-making, both at network endpoints and at network routers, regarding flow control, congestion control, and packet ...

**Keywords:** TCP/IP, internet protocols, network emulation, network simulation, web performance

6 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available:  [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

7 The state of the art in locally distributed Web-server systems

Valeria Cardellini, Emiliano Casalicchio, Michele Colajanni, Philip S. Yu

June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2

Full text available:  [pdf\(1.41 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The overall increase in traffic on the World Wide Web is augmenting user-perceived response times from popular Web sites, especially in conjunction with special events. System platforms that do not replicate information content cannot provide the needed scalability to handle large traffic volumes and to match rapid and dramatic changes in the number of clients. The need to improve the performance of Web-based services has produced a variety of novel content delivery architectures. This article w ...

**Keywords:** Client/server, World Wide Web, cluster-based architectures, dispatching algorithms, distributed systems, load balancing, routing mechanisms

## 8 The transport layer: tutorial and survey

Sami Iren, Paul D. Amer, Phillip T. Conrad

December 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 4

Full text available:  [pdf\(261.78 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Transport layer protocols provide for end-to-end communication between two or more hosts. This paper presents a tutorial on transport layer concepts and terminology, and a survey of transport layer services and protocols. The transport layer protocol TCP is used as a reference point, and compared and contrasted with nineteen other protocols designed over the past two decades. The service and protocol features of twelve of the most important protocols are summarized in both text and tables. < ...

**Keywords:** TCP/IP networks, congestion control, flow control, transport protocol, transport service

## 9 Optimizing throughput in a workstation-based network file system over a high bandwidth local area network

Theodore Faber

January 1998 **ACM SIGOPS Operating Systems Review**, Volume 32 Issue 1

Full text available:  [pdf\(858.90 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper describes methods of optimizing a client/server network file system to advantage of high bandwidth local area networks in a conventional distributed computing environment. The environment contains hardware that removes network and disk bandwidth bottlenecks. The remaining bottlenecks at clients include excessive context switching, inefficient data translation, and cumbersome data encapsulation methods. When these are removed, the null-write performance of a current implementation of S ...

## 10 Stateful distributed interposition

John Reumann, Kang G. Shin

February 2004 **ACM Transactions on Computer Systems (TOCS)**, Volume 22 Issue 1

Full text available:  [pdf\(833.84 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Interposition-based system enhancements for multitiered servers are difficult to build because important system context is typically lost at application and machine boundaries. For example, resource quotas and user identities do not propagate easily between cooperating services that execute on different hosts or that communicate with each other via intermediary services. Application-transparent system enhancement is difficult to achieve when such context information is obscured by complex service ...

**Keywords:** Distributed computing, component services, distributed context, multitiered services, operating systems, server consolidation

# 11 Analyzing communication latency using the Nectar communication processor

Peter Steenkiste

October 1992 **ACM SIGCOMM Computer Communication Review , Conference**

**proceedings on Communications architectures & protocols**, Volume 22 Issue 4

Full text available:  pdf(1.16 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

For multicomputer applications, the most important performance parameters of a network is the latency for short messages. In this paper we present an analysis of communication latency using measurement of the Nectar system. Nectar is a high-performance multicomputer built around a high-bandwidth crosspoint network. Nodes are connected to the Nectar network using network coprocessors that are primarily responsible the protocol processing, but that can also execute application code. This arch ...

# 12 Application-driven power management for mobile communication

Robin Kravets, P. Krishnan

July 2000 **Wireless Networks**, Volume 6 Issue 4


Full text available:  pdf(301.68 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

# 13 System support for pervasive applications

Robert Grimm, Janet Davis, Eric Lemar, Adam Macbeth, Steven Swanson, Thomas Anderson, Brian Bershad, Gaetano Borriello, Steven Gribble, David Wetherall

November 2004 **ACM Transactions on Computer Systems (TOCS)**, Volume 22 Issue 4

Full text available:  pdf(1.82 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Pervasive computing provides an attractive vision for the future of computing. Computational power will be available everywhere. Mobile and stationary devices will dynamically connect and coordinate to seamlessly help people in accomplishing their tasks. For this vision to become a reality, developers must build applications that constantly adapt to a highly dynamic computing environment. To make the developers' task feasible, we present a system architecture for pervasive computing, called & ...

**Keywords:** Asynchronous events, checkpointing, discovery, logic/operation pattern, migration, one.world, pervasive computing, structured I/O, tuples, ubiquitous computing

# 14 Application performance in the QLinux multimedia operating system

Vijay Sundaram, Abhishek Chandra, Pawan Goyal, Prashant Shenoy, Jasleen Sahni, Harrick Vin

October 2000 **Proceedings of the eighth ACM international conference on Multimedia**

Full text available:  pdf(918.51 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

*In this paper, we argue that conventional operating systems need to be enhanced with predictable resource management mechanisms to meet the diverse performance requirements of emerging multimedia and web applications. We present QLinux—a multimedia operating system based on the Linux kernel that meets this requirement. QLinux employs hierarchical schedulers for fair, predictable allocation of processor, disk and network bandwidth, and accounting mechanisms for appropriate charging of ...*

# 15 Special issue on wireless extensions to the internet: Fast handovers and context transfers in mobile networks

Rajeev Koodli, Charles E. Perkins

## Refine Search

### Search Results -

Term	Documents
CONTEXT	182736
CONTEXTS	13537
SWITCH	578127
SWITCHES	308218
PROTOCOL	121787
PROTOCOLS	79175
TCP	18644
TCPS	313
IP	49191
IPS	4077
HTTP	25740
(CONTEXT SWITCH AND PROTOCOL AND TCP AND IP AND HTTP AND L4).USPT.	4

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, February 18, 2005   [Printable Copy](#)   [Create Case](#)

**Set**  
**Name**   **Query**  
side by  
side

**Hit**  
**Count**   **Set**  
result set

*DB=USPT; PLUR=YES; OP=ADJ*

<u>L11</u>	context switch and protocol and TCP and IP and HTTP and L4	4	<u>L11</u>
<u>L10</u>	context switch and protocol and TCP and IP and HTTP and L3	1	<u>L10</u>
<u>L9</u>	context switch and protocol and TCP and IP and HTTP and L5	0	<u>L9</u>
<u>L8</u>	l4 and protocol and kernel request	1	<u>L8</u>
<u>L7</u>	l3 and protocol and kernel request	0	<u>L7</u>
<u>L6</u>	l5 and protocol and kernel request	0	<u>L6</u>
<u>L5</u>	l3 and L4	83	<u>L5</u>
<u>L4</u>	709/230.ccls.	780	<u>L4</u>
<u>L3</u>	709/228.ccls.	793	<u>L3</u>
<u>L2</u>	request\$1 and protocol and application\$1 kernel and client\$1 and server\$1 and context switch\$	8	<u>L2</u>
<u>L1</u>	protocol request\$1 and application\$1 kernel and client\$1 and server\$1 and context switch\$	0	<u>L1</u>

END OF SEARCH HISTORY